



## SAFETY DATA SHEET

### FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

Other means of identification : Not applicable

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 94.7% PART A WITH 5.3% PART B

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 02/01/2021

#### SECTION 2. HAZARDS IDENTIFICATION

##### GHS Classification

##### Product AS SOLD

Not a hazardous substance or mixture.

##### Product AT USE DILUTION

Eye irritation : Category 2B

##### GHS label elements

##### Product AS SOLD

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.

##### Product AT USE DILUTION

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

##### Product AS SOLD

Other hazards : None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

## FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

### Product AS SOLD

Pure substance/mixture : Mixture

No hazardous ingredients

### Product AT USE DILUTION

| Chemical name                                       | CAS-No.    | Concentration (%) |
|---|------------|-------------------|
| Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate | 88917-22-0 | 10 - 20           |

## SECTION 4. FIRST AID MEASURES

### Product AS SOLD

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : No specific measures identified.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

## SECTION 5. FIRE-FIGHTING MEASURES

### Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
Nitrogen oxides (NOx)  
Sulfur oxides  
Oxides of phosphorus

Special protective equipment : Use personal protective equipment.

# SAFETY DATA SHEET

## FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

for fire-fighters

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### SECTION 7. HANDLING AND STORAGE

#### Product AS SOLD

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 10 °C to 40 °C

#### Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

# SAFETY DATA SHEET

## FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection : No special protective equipment required.  
Hand protection : No special protective equipment required.  
Skin protection : No special protective equipment required.  
Respiratory protection : No personal respiratory protective equipment normally required.  
Hygiene measures : Wash hands before breaks and immediately after handling the product.

### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection : No special protective equipment required.  
Hand protection : No special protective equipment required.  
Skin protection : No special protective equipment required.  
Respiratory protection : No personal respiratory protective equipment normally required.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|   | Product AS SOLD     | Product AT USE DILUTION |
|---|---------------------|-------------------------|
| Appearance                              | : liquid            | liquid                  |
| Color                                   | : white             | white                   |
| Odor                                    | : ammoniacal        | ammoniacal              |
| pH                                      | : 7.5 - 8.5         | 7.0 - 8.5               |
| Flash point                             | : Not applicable    |                         |
| Odor Threshold                          | : No data available |                         |
| Melting point/freezing point            | : No data available |                         |
| Initial boiling point and boiling range | : No data available |                         |
| Evaporation rate                        | : No data available |                         |
| Flammability (solid, gas)               | : Not applicable    |                         |
| Upper explosion limit                   | : No data available |                         |
| Lower explosion limit                   | : No data available |                         |
| Vapor pressure                          | : No data available |                         |
| Relative vapor density                  | : No data available |                         |
| Relative density                        | : No data available |                         |
| Water solubility                        | : No data available |                         |

## SAFETY DATA SHEET

### FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

|  |                     |
|--|---------------------|
| Solubility in other solvents           | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Autoignition temperature               | : No data available |
| Thermal decomposition                  | : No data available |
| Viscosity, kinematic                   | : No data available |
| Explosive properties                   | : No data available |
| Oxidizing properties                   | : No data available |
| Molecular weight                       | : No data available |
| VOC                                    | : No data available |

### SECTION 10. STABILITY AND REACTIVITY

#### Product AS SOLD

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.  |
| Chemical stability                 | : Stable under normal conditions.  |
| Possibility of hazardous reactions | : No dangerous reaction known under conditions of normal use.  |
| Conditions to avoid                | : None known.  |
| Incompatible materials             | : None known.  |
| Hazardous decomposition products   | : In case of fire hazardous decomposition products may be produced such as:<br>Carbon oxides<br>Nitrogen oxides (NOx)<br>Sulfur oxides<br>Oxides of phosphorus |

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

|                  |   |
|------------------|---|
| Eyes             | : Health injuries are not known or expected under normal use. |
| Skin             | : Health injuries are not known or expected under normal use. |
| Ingestion        | : Health injuries are not known or expected under normal use. |
| Inhalation       | : Health injuries are not known or expected under normal use. |
| Chronic Exposure | : Health injuries are not known or expected under normal use. |

#### Product AT USE DILUTION

|      |   |
|------|---|
| Eyes | : Causes eye irritation.                                      |
| Skin | : Health injuries are not known or expected under normal use. |

## SAFETY DATA SHEET

### FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

|                  |   |   |
|------------------|---|---|
| Ingestion        | : | Health injuries are not known or expected under normal use. |
| Inhalation       | : | Health injuries are not known or expected under normal use. |
| Chronic Exposure | : | Health injuries are not known or expected under normal use. |

#### Experience with human exposure

##### Product AS SOLD

|              |   |                                |
|--------------|---|--------------------------------|
| Eye contact  | : | No symptoms known or expected. |
| Skin contact | : | No symptoms known or expected. |
| Ingestion    | : | No symptoms known or expected. |
| Inhalation   | : | No symptoms known or expected. |

##### Product AT USE DILUTION

|              |   |                                |
|--------------|---|--------------------------------|
| Eye contact  | : | Redness, Irritation            |
| Skin contact | : | No symptoms known or expected. |
| Ingestion    | : | No symptoms known or expected. |
| Inhalation   | : | No symptoms known or expected. |

#### Toxicity

##### Product AS SOLD

###### Product

|                                   |   |                   |
|-----------------------------------|---|-------------------|
| Acute oral toxicity               | : | No data available |
| Acute inhalation toxicity         | : | No data available |
| Acute dermal toxicity             | : | No data available |
| Skin corrosion/irritation         | : | No data available |
| Serious eye damage/eye irritation | : | No eye irritation |
| Respiratory or skin sensitization | : | No data available |
| Carcinogenicity                   | : | No data available |
| Reproductive effects              | : | No data available |
| Germ cell mutagenicity            | : | No data available |
| Teratogenicity                    | : | No data available |
| STOT-single exposure              | : | No data available |
| STOT-repeated exposure            | : | No data available |
| Aspiration toxicity               | : | No data available |

### SECTION 12. ECOLOGICAL INFORMATION

##### Product AS SOLD

###### Ecotoxicity

|                       |   |                          |
|-----------------------|---|--------------------------|
| Environmental Effects | : | Harmful to aquatic life. |
|-----------------------|---|--------------------------|

## SAFETY DATA SHEET

### FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

#### Product

Toxicity to fish : No data available

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

#### Persistence and degradability

##### Product AS SOLD

No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

#### Product AT USE DILUTION

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Not dangerous goods

#### Sea transport (IMDG/IMO)

# SAFETY DATA SHEET

## FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

Not dangerous goods

### SECTION 15. REGULATORY INFORMATION

#### Product AS SOLD

#### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

| Chemical Name         | CAS-No.   | Function    | List(s)        |
|-----------------------|-----------|-------------|----------------|
| water                 | 7732-18-5 | Diluent     | Not Applicable |
| Polymers              | Withheld  | Film Former | Not Applicable |
| Wax                   | Withheld  | Film Former | Not Applicable |
| Resin                 | Withheld  | Film Former | Not Applicable |
| Proprietary component | Withheld  | Film Former | Not Applicable |
| Silicone              | Withheld  | Film Former | Not Applicable |
| Silica derivative     | Withheld  | Film Former | Not Applicable |
| Halogenated thiazole  | Withheld  | Biocide     | Not Applicable |
| Isothiazolinones      | Withheld  | Biocide     | Not Applicable |

\*refer to [ecolab.com/sds](http://ecolab.com/sds) for electronic links to designated lists

#### The ingredients of this product are reported in the following inventories:

##### United States TSCA Inventory :

On the inventory, or in compliance with the inventory

##### Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

##### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

not determined

##### New Zealand. Inventory of Chemical Substances :

not determined

##### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined



# SAFETY DATA SHEET

## FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER

**Korea. Korean Existing Chemicals Inventory (KECI) :**  
not determined

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
not determined


**China. Inventory of Existing Chemical Substances in China (IECSC) :**  
not determined

**Taiwan Chemical Substance Inventory (TCSI) :**  
not determined

### SECTION 16. OTHER INFORMATION

#### Product AS SOLD

##### NFPA:




##### HMIS III:

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>0</b> |
| <b>FLAMMABILITY</b>    | <b>0</b> |
| <b>PHYSICAL HAZARD</b> | <b>0</b> |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION

##### NFPA:



##### HMIS III:

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>1</b> |
| <b>FLAMMABILITY</b>    | <b>0</b> |
| <b>PHYSICAL HAZARD</b> | <b>0</b> |

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 02/01/2021  
Version : 1.0  
Prepared by : Regulatory Affairs

**REVISED INFORMATION:** Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

## **SAFETY DATA SHEET**

### **FACILIPRO MAXX DURABLE FLOOR FINISH - PHAZER**

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.