

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Other means of identification : Not applicable

Recommended use : Cleaner and disinfectant

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : No dilution information provided.

Company : Ecolab Inc.
1 Ecolab Place
St. Paul, Minnesota USA 55102
1-800-352-5326


Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 03/10/2020

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification

Acute toxicity (Inhalation) : Category 4
 Acute toxicity (Dermal) : Category 4
 Eye irritation : Category 2B

GHS label elements

Hazard pictograms : 

Signal Word : Caution

Hazard Statements : Harmful in contact with skin or if inhaled.
Causes eye irritation.

Precautionary Statements : **Prevention:**
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area.
Response:
IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/ physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Tetrasodium EDTA	64-02-8	1 - 5
2-(2-butoxyethoxy)ethanol	112-34-5	1 - 5
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	68391-01-5	0.105
dimethyl benzyl ammonium chlorides		
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	68956-79-6	0.105

SECTION 4. FIRST AID MEASURES

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops and persists.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
Nitrogen oxides (NOx)
- Special protective equipment for fire-fighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 40 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : No special protective equipment required.
- Hand protection : No special protective equipment required.
- Skin protection : No special protective equipment required.
- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : clear, blue

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Odor	: Floral
pH	: 10.5, (100 %)
Flash point	: Not applicable
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.015
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation, Eye contact, Skin contact
--	---

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

Potential Health Effects

Eyes	: Causes eye irritation.
Skin	: Harmful if absorbed through skin.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Harmful if inhaled.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Irritation
Skin contact	: No information available.
Ingestion	: No symptoms known or expected.
Inhalation	: No information available.

Toxicity

Product

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: No data available
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: Mild eye irritation
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

Components

Acute inhalation toxicity	: n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides LC50 Rat: > 0.054 mg/l Test atmosphere: dust/mist
---------------------------	---

Components

Acute dermal toxicity	: 2-(2-butoxyethoxy)ethanol LD50 Rabbit: 2,764 mg/kg n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl
-----------------------	---

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

ammonium chlorides
LD50 Rabbit: 2,300 mg/kg

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium
chlorides
LD50 Rabbit: 2,300 mg/kg

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : No data available

Toxicity to daphnia and other
aquatic invertebrates : No data available

Toxicity to algae : No data available

Components

Toxicity to fish : Tetrasodium EDTA
96 h LC50 Fish: 121 mg/l

2-(2-butoxyethoxy)ethanol
96 h LC50 Fish: 1,300 mg/l

Components

Toxicity to daphnia and other
aquatic invertebrates : n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl
ammonium chlorides
48 h EC50: 0.47 mg/l

Components

Toxicity to algae : n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl
ammonium chlorides
NOEC: 0.009 mg/l

Persistence and degradability

Not applicable - Biocide

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or
used container. Where possible recycling is preferred to disposal or
incineration. If recycling is not practicable, dispose of in compliance
with local regulations. Dispose of wastes in an approved waste

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPA Registration number : 8155-5-42964

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation
Acute toxicity (any route of exposure)

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:
2-(2-butoxyethoxy)ethanol 112-34-5 1 - 5 %

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Tetrasodium EDTA	64-02-8	Cleaning Agent	Not Applicable
2-(2-butoxyethoxy)ethanol	112-34-5	Cleaning Agent	Not Applicable
nonionic surfactant	Withheld	Processing Aid	Not Applicable
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	68956-79-6	Cleaning Agent	Not Applicable
n-Alkyl (60% C14, 30% C16, 5%	68391-01-5	Cleaning Agent	Not Applicable

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

C12, 5% C18) dimethyl benzyl ammonium chlorides			
1-methoxy-2-propanol	107-98-2	Solvent	4, 20
Isopropanol	67-63-0	Solvent	20
Aliphatic alcohol	Withheld	Solvent	Not Applicable
silicate	Withheld	Stabilizer	Not Applicable

*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) :


On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) :

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 03/10/2020
Version : 1.2
Prepared by : Regulatory Affairs

SAFETY DATA SHEET

AIRKEM THICKENED NON-ACID BOWL/BATHROOM CLEANER

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.